

Aquaculture 126 (1994) 383-386

Author Index

Alanärä, A.
The effect of temperature, dietary energy content and reward level on the demand feeding activity of
rainbow trout (Oncorhynchus mykiss)
Albentosa, M., Beiras, R. and Camacho, A.P.
Determination of optimal thermal conditions for growth of clam (Venerupis pullastra) seed 315
Alhadhrami, G.A., see Yousif, O.M. et al.
Aranda, D.A., Suárez, V.P. and Brulé, T.
Ingestion and digestion of eight algae by Strombus gigas larvae (Mollusca, Gastropoda) studied by
epifluorescence microscopy
Baker, S.B., see Rose, R.A. et al.
Battaglene, S.C. and Bill Talbot, R.
Hormone induction and larval rearing of mulloway, Argyrosomus hololepidotus (Pisces: Sciaenidae) . 73
Beacham, T.D., see Withler, R.E. et al.
Beiras, R., see Albentosa, M. et al.
Bell, T.A., see Park, E.D. et al.
Ben-Dom, N., see Gomelsky, B. et al.
Bill Talbot, R., see Battaglene, S.C. et al.
Brulé, T., see Aranda, D.A. et al.
Brunson, M.W., see Tidwell, J.H. et al.
Bustos, E., see Campos, E.O. et al.
Cahu, C., Guillaume, J.C., Stéphan, G. and Chim, L.
Influence of phospholipid and highly unsaturated fatty acids on spawning rate and egg and tissue
composition in Penaeus vannamei fed semi-purified diets
Caldwell, C.A. and Hinshaw, J.
Physiological and haematological responses in rainbow trout subjected to supplemental dissolved
oxygen in fish culture
Camacho, A.P., see Albentosa, M. et al.
Campos, E.O., Pinto, A., Bustos, E., Rodriguez, S.R. and Inestrosa, N.C.
Metamorphosis of laboratory-reared larvae of Concholepas concholepas (Mollusca; Gastropoda) 299
Cerenius, L., see Huang, T. et al.
Cherfas, N.B., see Gomelsky, B. et al.
Chim, L., see Cahu, C. et al.
Clark, J.A., see Tidwell, J.H. et al.
Coppoolse, J., see Verreth, J. et al.
Cox, E., see Nell, J.A. et al.
D'Abramo, L.R., see Tidwell, J.H. et al.
Davis, K.B., see Newsom, J.E. et al.
Dekker, W., see Haenen, O.L.M. et al.
Edwards, P., see Shevgoor, L. et al.
Edwards, P., Pacharaprakiti, C. and Yomjinda, M.
An assessment of the role of buffalo manure for pond culture of tilapia. I. On-station experiment 83
Edwards, P., Kaewpaitoon, K., Little, D.C. and Siripandh, N.

An assessment of the role of buffalo manure for pond culture of tilapia. II. Field trial	. 97
Fairbrother, J.E. Viable gynogenetic diploid <i>Mytilus edulis</i> (L.) larvae produced by ultraviolet light irradiation and	
cytochalasin B shock	25
Fjelde, S., see Samuelsen, O.B. et al.	
Gallagher, M.L.	
The use of soybean meal as a replacement for fish meal in diets for hybrid striped bass (Morone	
saxatilis × M. chrysops)	119
Gomelsky, B., Cherfas, N.B., Peretz, Y., Ben-Dom, N. and Hulata, G.	
Hormonal sex inversion in the common carp (Cyprinus carpio L.)	265
Goodgame-Tiu, L., see Tidwell, J.H. et al.	
Grewe, P.M., see Ward, R.D. et al.	
Groff, J.M., see LaPatra, S.E. et al.	
Guillaume, J.C., see Cahu, C. et al.	
Haenen, O.L.M., Van Banning, P. and Dekker, W.	
Infection of eel Anguilla anguilla (L.) and smelt Osmerus eperlanus (L.) with Anguillicola crassus	
(Nematoda, Dracunculoidea) in the Netherlands from 1986 to 1992	219
Hauck, A.K., see LaPatra, S.E. et al.	
Hecht, T.	
Behavioural thermoregulation of the abalone, <i>Haliotis midae</i> , and the implications for intensive culture	171
Hedrick, R.P., see LaPatra, S.E. et al.	
Hinshaw, J., see Caldwell, C.A. et al.	
Holt, R.A., see LaPatra, S.E. et al.	
Huang, T., Cerenius, L. and Söderhäll, K.	
Analysis of genetic diversity in the crayfish plague fungus, Aphanomyces astaci, by random	
amplification of polymorphic DNA	1
Hulata, G., see Gomelsky, B. et al.	
Hung, S.S.O., see Ng, W.K. et al.	
Inestrosa, N.C., see Campos, E.O. et al.	
Jones, G.R., see LaPatra, S.E. et al.	
Kaewpaitoon, K., see Edwards, P. et al.	
Kitajima, C., see Mihelakakis, A. et al.	
Knud-Hansen, C.F., see Shevgoor, L. et al.	
LaPatra, S.E., Groff, J.M., Jones, G.R., Munn, B., Patterson, T.L., Holt, R.A., Hauck, A.K. and	
Hedrick, R.P. Occurrence of white sturgeon iridovirus infections among cultured white sturgeon in the Pacific	
	201
Northwest	201
Little, D.C., see Edwards, P. et al.	
Liu, JS., see Shiau, SY. et al. Lönnström, L., see Wiklund, T. et al.	
Lunestad, B.T., see Samuelsen, O.B. et al.	
Maguire, G.B., see Nell, J.A. et al.	
Mihelakakis, A. and Kitajima, C.	
Effects of salinity and temperature on incubation period, hatching rate, and morphogenesis of the silver	
sea bream, Sparus sarba (Forskål, 1775)	361
Minagawa, M. and Takashima, F.	301
Developmental changes in larval mouthparts and foregut in the red frog crab, Ranina ranina	
(Decapoda: Raninidae)	61
Munn, B., see LaPatra, S.E. et al.	01
Nell, J.A., Cox, E., Smith, I.R. and Maguire, G.B.	
Studies on triploid oysters in Australia. I. The farming potential of triploid Sydney rock oysters	
Saccostrea commercialis (Iredale and Roughley)	243
buccomen commercians (meanic and reagine)	

Newsom, J.E. and Davis, K.B.
Osmotic responses of haemolymph in red swamp crayfish (Procambarus clarkii) and white river
crayfish (P. zonangulus) to changes in temperature and salinity
Ng, W.K. and Hung, S.S.O.
Amino acid composition of whole body, egg and selected tissues of white sturgeon (Acipenser
transmontanus)
Pacharaprakiti, C., see Edwards, P. et al.
Park, E.D., Lightner, D.V., Stamm, J.M. and Bell, T.A.
Preliminary studies on the palatability, animal safety, and tissue residues of sarafloxacin-HCl in the
penaeid shrimp, Penaeus vannamei
Patterson, T.L., see LaPatra, S.E. et al.
Peretz, Y., see Gomelsky, B. et al.
Pessarakli, M., see Yousif, O.M. et al.
Pinto, A., see Campos, E.O. et al.
Ramnarine, I.W.
Larval culture, development and growth of the cascadu, Hoplosternum littorale (Hancock 1828;
Callichthyidae)
Rodriguez, S.R., see Campos, E.O. et al.
Rose, R.A. and Baker, S.B.
Larval and spat culture of the Western Australian silver- or goldlip pearl oyster, Pinctada maxima
Jameson (Mollusca: Pteriidae)
Samuelsen, O.B., Lunestad, B.T., Ervik, A. and Fjelde, S.
Stability of antibacterial agents in an artificial marine aquaculture sediment studied under laboratory
conditions
Segner, H., see Verreth, J. et al.
Shevgoor, L., Knud-Hansen, C.F. and Edwards, P.
An assessment of the role of buffalo manure for pond culture of tilapia. III. Limiting factors
Shiau, SY. and Liu, JS.
Estimation of the dietary vitamin K requirement of juvenile Penaeus chinensis using menadione 129
Silina, A.V.
Survival of different size-groups of the scallop, Mizuhopecten yessoensis (Jay), after transfer from
collectors to the bottom
Siripandh, N., see Edwards, P. et al.
Smith, I.R., see Nell, J.A. et al.
Smolenski, A.J., see Ward, R.D. et al.
Söderhäll, K., see Huang, T. et al.
Stamm, J.M., see Park, E.D. et al.
Stéphan, G., see Cahu, C. et al.
Suárez, V.P., see Aranda, D.A. et al.
Takashima, F., see Minagawa, M. et al.
Tidwell, J.H., Webster, C.D., Goodgame-Tiu, L. and D'Abramo, L.R.
Population characteristics of Macrobrachium rosenbergii fed diets containing different protein sources
under coolwater conditions in earthen ponds
Tidwell, J.H., Webster, C.D., Clark, J.A. and Brunson, M.W.
Pond culture of female green sunfish (Lepomis cyanellus) × male bluegill (L. macrochirus) hybrids
stocked at two sizes and densities
Van Banning, P., see Haenen, O.L.M. et al.
Verreth, J., Coppoolse, J. and Segner, H.
The effect of low HUFA- and high HUFA-enriched Artemia, fed at different feeding levels, on growth,
survival, tissue fatty acids and liver histology of Clarias gariepinus larvae
Ward, R.D., Grewe, P.M. and Smolenski, A.J.
A comparison of allozymes and mitochondrial DNA in Atlantic salmon from Tasmania and from the
ancestral population in Canada

11
11
41